# 19951023 (

## REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sour gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for information Operations and Reports, 1215 Jeffer Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

3. REPORT TYPE AND DATES COVERED 2. REPORT DATE 1. AGENCY USE ONLY (Leave blank) 6/29/95 15 Apr 91 - 14 Apr 95 5. FUNDING NUMBERS 4. TITLE AND SUBTITLE Modelling Probabilistic and Logical Relations With Belief Functions DAAL03-91-G-0089 6. AUTHOR(S) Arthur P. Dempster 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) 8. PERFORMING ORGANIZATION OCT 2 4 1995 REPORT NUMBER Department of Statistics Harvard University Science Center 6th Fl. 1 Oxford Street Cambridge, MA 02138 USA 10. SPONSORING / MONITORING 9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRINGS AGENCY REPORT NUMBER U. S. Army Research Office P. O. Box 12211 ARO 26993.6-MA Research Triangle Park, NC 27709-2211 11. SUPPLEMENTARY NOTES The view, opinions and/or findings contained in this report are those of the

author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other documentation.

12a, DISTRIBUTION / AVAILABILITY STATEMENT

12b. DISTRIBUTION CODE

Approved for public release; distribution unlimited.

13. ABSTRACT (Maximum 200 words)

The project aims to explore through a variety of implementations a paradigm for the analysis of scientific and operational phenomena that depend on formalizations of uncertainty through probabilistic models. Such models can be interpreted as representations of random processes, or they can be interpreted as representations of the uncertainty of an analyst facing a situation described by the model. These interpretations are often viewed as mutually exclusive, but we regard them as complementary, and hence simultaneously applicable. A major motivating reason for constructing the models is to facilitate making uncertain inferences, followed in many cases by decision making informed by the inferences.

Tales Weddelitt & Books while it I h

(Continued on reverse side)

1	4. SUBJECT TERMS			15. NUMBER OF PAGES 3 16. PRICE CODE
1	7. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRAC
L	UNCLASSIFIED	UNCLASSIFIED	UNCLASSIFIED	UL

· <-. 7540-01-080-5500

Standard Form 298 (Rev. 2-89)

The central principle of probabilistic inference remains, as it has been for 200 years, the Bayesian principle of updating inferences by formal computation of conditional probabilities, that is, by conditioning on the stream of incoming data. The belief function principle is a relaxation of the Bayesian rule, first suggested in special cases by R. A. Fisher about 65 years ago under the name fiducial inference, that retains the feature of conditioning on the data but does not require the full specification of a priori probabilities for all eventualities represented by the model. For example, in the ubiquitous class of Gaussian linear models the Bayesian formulation relies on awkward "improper priors" that are artifacts, that is, do not specify meaningful uncertainty judgments, whereas the normal linear belief function model dispenses with such priors and proceeds directly to conditioning. There are debates over "axioms" and principles that bear on the acceptability of belief function arguments, as compared with the more purist Bayesian models that have a counterbalancing drawback that they demand more in the way of prior knowledge than the analyst may wish to formalize in probability terms.

# MODELLING PROBABILISTIC AND LOGICAL RELATIONS WITH BELIEF FUNCTIONS

### FINAL REPORT

### ARTHUR P. DEMPSTER

**JUNE 1995** 

U. S. ARMY RESEARCH OFFICE

DTIC TAB
Unannounced
Justification

By
Distribution /

Availability Codes

Dist
Avail and / or
Special

A-1

Accesion For NTIS CRA&I

GRANT NO. DAAL03-91-G-0089

DEPARTMENT OF STATISTICS, HARVARD UNIVERSITY

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.

### STATEMENT OF PROBLEM STUDIED

The goal of the project was to build on work in the 80's by the PI and coworkers including Glenn Shafer and Augustine Kong on the development of theory, especially computing strategies and algorithms, for the application of belief functions on networks to assessing posterior uncertainty about complex systems.

### SUMMARY OF IMPORTANT RESULTS

- 1. The thesis S-158 showed the applicability of the theory of normal belief functions to the analysis of a complex pulsatile phenomenon. The overall Bayesian model was computed using MCMC (Markov Chain Monte Carlo) that assessed posteriors on the number, location, and amplitude of pulses. One paper, S-167, is accepted for publication, and others are in preparation.
- 2. A related problem of locating signals in space that are contaminated with noise has been addressed, as summarized in S-169. Assessing the posterior in this case led by serendipity to a very general scheme of weighted sampling that has many other practical applications, as described in the thesis S-168. Other technical reports in this series are S-159 (published in *Biometrika*), S-164 (submitted) and S-165. Further reports and submissions are planned.
- 3. Problems of diagnosis and prognosis have been opened up, resulting in published commentary (S-156 and S-163). This has led to a developing project to analyze the management of intensive care units at Massachusetts General Hospital.

### REPORTS AND PUBLICATIONS

- S-156 "Comment: Assessing the Science Behind Graphical Modelling Techniques." A.P. Dempster, *Statistical Science* 8, 247-250, 1993 (will be sent shortly).
- S-158 "A Bayesian Analysis of Diurnal Cortisol Series." Patricia M. Meehan. (Ph.D. thesis June 1993, transmitted in 1994).
- S-159 "Weighted Finite Population Sampling to Maximize Entropy." Xianghui Chen, A.P. Dempster, and Jun S. Liu, *Biometrika* 81, 457-469, 1994 (will be sent shortly).
- S-163 "Models and Modelling in Context." A.P. Dempster and E.N. Brown, Ch 3 of *Probabilistic Reasoning and Bayesian Belief Networks* (ed. A. Gammerman) Alfred Waller Limited, Publishers 1995 (will be sent shortly).
- S-164 "Computations of Poisson-Binomial Probabilities in Connection with Weighted Sampling and Retrospective Studies." Xianghui Chen and Jun S. Liu, 1994 (manuscript will be sent shortly).

- S-165 "Poisson-Binomial Distribution, Conditional Bernoulli Distribution, Entropy and Mutual Dependence." Xianghui Chen, 1995.
- S-167 "A Belief Function Approach to Likelihood Updating in a Gaussian Linear Model." P.M. Meehan, A.P. Dempster, E.N. Brown. To appear in *Bayesian Statistics 5*, Oxford University Press 1995 (manuscript will be sent shortly).
- S-168 "Weighted Sampling, Statistical Applications and Generalizations." Xianghui Chen, Ph.D. thesis, 1995 (will be sent shortly).
- S-169 "Metropolis Algorithm and the Nearly Black Object." Xianghui Chen, 1995.

### STUDENTS SUPPORTED

Patricia Meehan (Ph.D. 1993), Xianghui Chen (Ph.D. 1995), Igor Perisic (Ph.D. candidate)